

United States Patent and Trademark Office

Cen

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,430	02/12/2004	Su-Hyung Eom	678-1171	4337
66547 7590 11/28/2007 THE FARRELL LAW FIRM, P.C. 333 EARLE OVINGTON BOULEVARD			EXAMINER	
			TAYONG, HELENE E	
SUITE 701 UNIONDALE,	NY 11553		ART UNIT	PAPER NUMBER
		•	2611	
			MAIL DATE	DELIVERY MODE
			11/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/777,430	EOM, SU-HYUNG			
Office Action Summary	Examiner	Art Unit			
	Helene Tayong	2611			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMN 36(a). In no event, however, r will apply and will expire SIX (6 c cause the application to becc	UNICATION. hay a reply be timely filed) MONTHS from the mailing date of this communication. me ABANDONED (35 U.S.C. § 133).			
Status					
 1) ⊠ Responsive to communication(s) filed on <u>08 Ne</u> 2a) ☐ This action is FINAL. 2b) ☒ This 3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E 	action is non-final. nce except for formal				
Disposition of Claims					
4) ⊠ Claim(s) 1-22 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-22 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration				
Application Papers					
9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 12 February 2004 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Ex	e: a) accepted or the drawing(s) be held in a lion is required if the drawing in	peyance. See 37 CFR 1.85(a). pwing(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Pape	view Summary (PTO-413) Ir No(s)/Mail Date Se of Informal Patent Application T:			

DETAILED ACTION

- 1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.
- 2. This office action is in response to the amendment filed on 6/21/07 and 11/8/07.

Response to Arguments

3. Applicants arguments regarding claims 1-22 are pending in the application, with Claims 1, 5, 9, and 16 being independent claims. Claims 1-5, 7-17, 21, and 22 are rejected under 35 U.S.C. § 102(b) as being anticipated by Anantharaman et al. (US Patent Publication No. 2002/0093978 A1). In addition, Claim 6 is rejected under 35 U.S.C. § 103(a) as being unpatentable over Anantharaman et al. (US Patent Publication No. 2002/0093978 A1) in view of Quirk et al. (US Patent No. 5,675,617 A). Also, Claims 18-20 are rejected under 35 U.S.C. § 103(a) as being unpatentable Anantharaman et al. (US Patent Publication No. 2002/0093978 A1)

(1) with regards to claims 1-5, 6, 7-17, 21 and 22;

4. Applicants arguments regarding under 35 U.S.C. § 102(b) as being anticipated by Anantharaman et al rejection under 35 U.S.C. § 103(a) as being unpatentable over Anantharaman et al. (US Patent Publication No. 2002/0093978 A1) in view of Quirk et al. (US Patent No. 5,675,617 A) have been fully considered but they are not persuasive.

Applicant's arguments: Applicant respectfully submits that the Examiner is in error in the application of Anantharaman et al. because Anantharaman et al. provides

10/777,430 Art Unit: 2611

substantially two look up tables for encoding and decoding the data. The first reference lookup table provides zero insertion during the data encoding process and the second reference look up table provides flag or abort signal detection and zero deletion during the data decoding process. The claims of the present application provide a single look up table having the encoded dummy bits starting from the most significant bit (MSB), and provide indicator flags for each encoded data sequence. Thereby, the data sequence includes both the dummy bits and flags for encoding and decoding the data bits from a single look up table.

The Examiner's response: On pg 2, [0030], Anantharaman et al. in fig. 2 discloses the format of an encode data table entry. Each encode data table entry includes a three bit state filed 22, a one bit reserved filed 24, a two bit stuffed bits field 26 (interpreted as dummy bits) and a ten bit data field 28. Further, Anantharaman et al explains that the stuffed bits field 26 identified the number of bits (0s) added to the read data to form the data field 28, and the data field 28 contains the HDLC encoded data that corresponds to the byte of the data read from the data stream. The data field 28 is ten-bits in order to account for 8 bits of data plus added or stuffed bits. Pg. 3, [0039]-[0040] further explains how the encoding process is carried. One of ordinary skill in the art would have considered encoding data entry in a table as taught by Anantharaman et al or decode data entry in a table since encoding and decoding cannot be done at the same time. Decoding does the opposite of encoding, so if bits were inserted during encoding, bits have to deleted or removed during decoding.

(2) with regards to claims 18-20;

Applicant's arguments regarding rejection of claims 18-20 under 35 U.S.C. § 103(a) as being unpatentable over Anantharaman et al. (US Patent Publication No. 2002/0093978 A1) in view of Park et al. (US Patent No. 6,529,528 B1).

Applicant's arguments: "Park et al. discloses a multiplexing method for multimedia communication by changing a header of a multiplex protocol data unit. It is respectfully submitted that Park et al. is commonly assigned with present application to Samsung Electronics Co., Ltd., as well as to The Regents of the University of California. Park et al. is not a proper prior art reference under 35 USC § 103 (c)(2), as Park et al. appears to have been subject to a joint research agreement, i.e. a written contract, grant or cooperative agreement entered into for the performance of experimental, developmental, or research work in the field of the claimed invention (35 USC § 103 (c)(3)).

The Examiner's response: Applicant's arguments regarding rejection of claims 18-20 under 35 U.S.C. § 103(a) as being unpatentable over Anantharaman et al. (US Patent Publication No. 2002/0093978 A1) in view of Park et al. (US Patent No. 6,529,528 B1) have been fully considered and are persuasive. Therefore, the Final rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made.

Specification

5. The abstract of the disclosure is objected to because improper language such as

10/777,430 Art Unit: 2611

"comprise" lines 5 is used. Correction is required. See MPEP § 608.01(b).

Drawings

6. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 8. Claims 1-5, 7-17 and 21-22 are rejected under 35 U.S.C. 102(b) as being anticipated by Anantharaman et al.(US 2002/0093978 A1).
 - (1) With regards to claim 1;
- (a) Anantharaman et al. discloses classifying the data sequence into N unit data sequences having a predetermined bit number (pg. 2, [0028] lines 1-7) and inputting an

10/777,430 Art Unit: 2611

nth unit data sequence to be checked from among the N unit data sequences into a predetermined table as indices (fig. 4) (pg 2, [0029], lines 6); and

- (b) Anantharaman et al. discloses outputting output data sequences from the table (fig. 4) in correspondence to the indices together with at least one attribute (pg. 3, [0032], lines 1-3), the output data sequences having dummy bits (interpreted as stuffed bits) which are alternatively inserted into the unit data sequences (pg. 3, lines [0032], lines 5-7), the at least one attribute indicating a number of the bit values which are sequentially continued starting from a most significant bit (MSB) of the output data sequence (pg. 3, [0039] lines 13-14), the indices including an attribute output from the table (fig. 4 and 5) with respect to an n-1thunit data sequence (pg. 3, [0039], lines 8-10).
 - (2) With regards to claim 2;

Anantharaman et al. discloses wherein the table (fig.4) stores the output data sequences having alternatively inserted dummy bits (interpreted as stuffed bits), values of the attributes corresponding to all possible unit data sequences, and a set of all values for which the attributes allow (pg.2, [0029], lines 1-1-6).

- (3) With regards to claim 3;
- (a) Anantharaman et al. discloses forming a temporary output data sequence from the output data sequence for the nth unit data sequence (pg. 2 –3, [0030], lines 9-15);
- (b) Anantharaman et al. discloses classifying the temporary output data sequence into an output unit data sequence having a predetermined bit number (fig. 4)

and into a remaining data sequence, wherein the temporary output data sequence includes a remaining data sequence for the n-1th unit data sequence (pg. 3, [0032], lines 1-7).

(4) With regards to claim 4;

Anantharaman et al. discloses re-classifying the remaining data sequence into an output unit data sequence having the predetermined bit number and a new remaining data sequence, when the bit number of the remaining data sequence is greater than the predetermined bit number (fig. 5) (pg. 5,[0056], lines 1-11).

- (5) With regards to claim 5;
- (a) Anantharaman et al. discloses classifying a received data sequence into N unit data sequences having a predetermined bit number (pg. 2, [0028], lines 1-3); defining at least one attribute of an n-1 th unit data sequence from among the N unit data sequences, the at least one attribute indicating a number of the bit values which are sequentially continued starting from a most significant bit (MSB) of the corresponding unit data sequence (pg. 3, [0039], lines 13-14); and
- (b) Anantharaman et al. discloses inputting attributes of an n th unit data sequence and the n-1 th unit data sequence into a table (fig. 2) (pg. 2, [0029], lines 1-7), and outputting attributes of the corresponding output data sequence and the n th unit data sequence (pg. 3, [0033], lines 1-6).
 - (6) With regards to claim 7;
- (a) Anantharaman et al. discloses forming a temporary output data sequence from the output data sequence for the n th unit data sequence (pg. 2 –3, [0030], lines 9-

10/777,430 Art Unit: 2611

15); and

- (b) Anantharaman et al. discloses classifying the temporary output data sequence into an output unit data sequence constituted by the predetermined bit number and into a remaining data sequence (pg. 2, [0028], lines 1-3), wherein the temporary output data sequence includes a remaining data sequence for the n-1 th unit data sequence (pg. 2 3, [0030], lines 9-15).
 - (7) With regards to claim 8;

Anantharaman et al. discloses re-classifying the remaining data sequence into an output unit data sequence having the predetermined bit number and a new remaining data sequence, when the bit number of the remaining data sequence is greater than the predetermined bit number (fig. 5) (pg. 5, [0056], lines 1-11).

- (8) With regards to claim 9;
- (a) Anantharaman et al. discloses classifying the data sequence into a plurality of unit data sequences having a predetermined bit number (pg. 2, [0028] lines 1-7), and sequentially inputting the unit data sequences into a predetermined table as indices (fig. 4) (pg 2, [0029], lines 6);
- (b) Anantharaman et al. discloses outputting output data sequences from the table in correspondence to the indices(pg. 3, [0032], lines 1-3), the output data sequences having dummy bits which are alternatively inserted (pg. 3, lines [0032], lines 5-7),
 - (c) Anantharaman et al. discloses forming the data frame from the output data

10/777,430 Art Unit: 2611

sequences, and attaching the flags to front and rear ends of the data frame, respectively (pg. 3, [0030], lines 9-15).

(9) With regards to claim 10;

Anantharaman et al. discloses wherein the table stores (fig. 4) the output data sequences having alternatively inserted dummy bits in correspondence to all possible unit data sequences in order to prevent at least one data sequence having a same sequence as a sequence of the flag from being transmitted (pg. 3, [0039], lines 1-14).

(10) With regards to claim 11;

Anantharaman et al. discloses wherein the sequence of the flag contains a bit sequence in which a predetermined value of the bit is sequentially continued up to a predetermined number (pg. 2, [0028], lines 1-3)

(11) With regards to claim 12;

Anantharaman et al. discloses wherein the table stores (fig. 4) the number of the predetermined bit values which are sequentially continued starting from a most significant bit of the output data sequence as values of the attributes of each output data sequence (pg. 3, [0039], lines 13-14)

(12) With regards to claim 13;

Anantharaman et al. discloses wherein the indices include the values of the attributes (fig. 4,pg. 2, [0029], lines 1-6)

- (13) With regards to claim 14;
- (a) Anantharaman et al. discloses forming a temporary output data sequence

10/777,430 Art Unit: 2611

from the output data sequence

(pg. 2 –3, [0030], lines 9-15);

- (b) Anantharaman et al. discloses forming the temporary output data sequence into an output unit data sequence having a predetermined bit number and into a remaining data sequence (pg. 2 –3, [0030], lines 9-15); and
 - (c) Anantharaman et al. discloses connecting the remaining data sequence to a next output data sequence output sequentially, and forming a temporary output data sequence for the next output data sequence (pg. 3, [0031], lines 1-13).
 - (14) With regards to claim 15;

Anantharaman et al. discloses re-forming the remaining data sequence into an output unit data sequence and a new remaining data sequence, when the bit number of the remaining data sequence is greater than the predetermined bit number (pg. 3, [0031], lines 1-13).

- (15) With regards to claim 16;
- (a) Anantharaman et al. discloses classifying a received data sequence into a plurality of unit data sequences having a predetermined bit number (pg. 2, [0028], lines 1-7);
- (b) Anantharaman et al. discloses sequentially inputting the unit data sequences into a predetermined table, and sequentially outputting the output data sequences from which the dummy bits are removed from the table (fig. 5) in correspondence to the input unit data sequences ((pg. 3, [0032], lines 1-3).
 - (16) With regards to claim 17;

Anantharaman et al. discloses wherein the table stores (fig. 5) the output data sequences from which the dummy bits are removed in correspondence to all possible unit data sequences(pg. 4, [0047], lines 1-7).

- (17) With regards to claim 21;
- (a) Anantharaman et al. discloses forming a temporary output data sequence from the output data sequences (pg. 2 –3, [0030], lines 9-15);
- (b) Anantharaman et al. discloses forming the temporary output data sequence into an output unit data sequence having a predetermined bit number and into a remaining data sequence (pg. 2 –3, [0030], lines 9-15); and
 - (c) Anantharaman et al. discloses connecting the remaining data sequence to a next output data sequence output sequentially, and forming a temporary output data sequence for the next output data sequence (pg. 3, [0031], lines 1-13).
 - (18) With regards to claim 22;

Anantharaman et al. discloses re-forming the remaining data sequence into an output unit data sequence and a new remaining data sequence, when the bit number of the remaining data sequence is greater than the predetermined bit number (fig. 5) (pg. 5, [0056], lines 1-11).

Claim Rejections - 35 USC § 103

- 9 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

10. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Anantharaman et al. (US 2002/0093978 A1) in view of Quirk et al (US 5675617).

Anantharaman et al. discloses a method in figure 1 for synchronizing data frames, the method comprising the steps of:

(1) With regards to claim 6;

Anantharaman et al. discloses all of the subject matter discussed above except for specifically teaching wherein the table stores the output data sequences in which alternatively inserted dummy bits are removed the corresponding attributes of all possible unit data sequences, and a set of values of the attributes.

However, Quirk et al. in the same field of invention teaches wherein the table stores the output data sequences in which alternatively inserted dummy bits are removed the corresponding attributes of all possible unit data sequences, and a set of values of the attributes (Table c,col.7, lines 40-53).

At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the steps of disclosed in step where in table store output data sequences alternatively inserted dummy bits are removed the corresponding attributes of all possible unit data sequences, and a set of values of the attributes in which to with the method disclosed in Quirk et al with those of Anantharaman et al. to avoid confusion with flag signal. The motivation to combine these would have been to distinguish regular flags used for detecting the frames from a bit stream that is transmitted. This will help

10/777,430 Art Unit: 2611

resolve problems such as computer programs not to run on other platforms (computer architecture and or operating system) other than the one for which they were originally written.

(

- 11. Claims 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Anantharaman et al.(US 2002/0093978 A1) in view of Dupuy (US 5687199.
 - (1) With regards to claim 18;

Anantharaman et al. discloses all of the subject matter except for specifically teaching wherein the sequence of the flag contains a bit sequence in which a predetermined value of the bit is sequentially continued up to a predetermined number.

However, Dupuy in the same field of invention discloses V.110 frames that comprise a flag made up of eight binary zeros followed by a binary 1, a binary 1 being then inserted every seven bits to form a frame of 80 bits, 17 bits used for synchronization and 63 bits for the data. The bits forced to binary 1 repeat periodically every P bits after synchronization flag (col. 1, lines 30-41).

At the time of the invention, it would have been obvious to one of ordinary skill in the art to utilized the method of Dupuy in the method of Anantharaman et al in order to obtain the sequence of flag which contains a bit sequence in which a predetermined value of the bit is sequentially continued up to a predetermined number. The motivation to combine these would have been to be able improve transmission efficiency (col. 1, lines 45-46).

(2) With regards to claim 19;

Anantharaman et al. further discloses wherein the table stores the number of the

predetermined bit values which are sequentially continued starting from a most significant bit of the output data sequence as values of attributes of each output data sequence (pg. 3, [0039], lines 13-14).

(3) With regards to claim 20;

Anantharaman et al. further discloses wherein the values of the attributes are included in indices of the table (fig. 4 and 5) (pg. 2, [0029], lines, 1-5).

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Leung (US 20030002467) discloses internet protocol framing using radio link protocol.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helene Tayong whose telephone number is 571-270-1675. The examiner can normally be reached on Monday-Friday 8:00 am to 5:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Liu Shuwang can be reached on 571-272-3036. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Helene Tayong

11/21/07

SHUWANG LIU SUPERVISORY PATENT EXAMINER

Sharang Trà